

California ASAM User Guide

Version 2.0

02/22/2023

1301 W. 22nd St., Ste. 305, Oak Brook, IL | Phone - (877) GO-SHS-41 | Fax - (877) GO- SH-S42 www.streamlinehealthcare.com

0



Table of Contents

Table of Contents User Guide: ASAM General Information Overview 1.0 General ASAM Creating a new ASAM 2.0 ASAM Completion Initial tab Dimension 1: Acute Alcohol Intoxication and/or Withdrawal Potential **Dimension 2: Biomedical Conditions and Complications** Dimension 3: Emotional, Behavioral or Cognitive conditions and Complications Dimension 4: Readiness to Change Dimension 5: Relapse, Continued Use, Continued Problem Potential **Dimension 6: Recovery Environment Final Determination** 3.0 Signing the ASAM Set Up Considerations **DFA** Information

Configuration Keys





User Guide: ASAM

General Information

ASAM is the American Society of Addiction Medicine multidimensional, structured assessment that was developed for clients with addictive, substance-related, and co-occurring disorders. The ASAM utilizes the client's needs, obstacles and liabilities, as well as their strengths, assets, resources, and supportive structure to determine the appropriate level of care for the client. In SmartCare, the ASAM is a core, stand-alone document that utilizes the standardized six dimensions to determine the appropriate service planning and intervention for clients.

In the State of California, the ASAM document is required to be completed by adults at admission and every 6 months when there is an indication of substance abuse. It is required for reporting to the county when client is admitted to a Substance Abuse program.

Overview

1.0 General

ASAM

The California ASAM contains 8 separate tabs: the Initial tab, one tab corresponding to each of the 6 dimension measurement, and a Final Determination tab. Each tab will have specific requirements regarding completion.

CA ASAM									Ē	🙆 GoTo 💄	Save	080	×
Effective 10/20/2022	🗮 🕶 Stat	tus New			Author	Admin, Syst	tem	~	00		Sign	04	+
Initial Dimension 1	Dimension 2	Dimension 3	Dimension 4	Dimension	n 5 Dim	ension 6	Final Determ	nination					
Initial													
County				Butte	2	\mathbf{v}							
Type Of Assessment				Initia	il Assessmer	~							



Creating a new ASAM

Once you have successfully opened your client's record, navigate to ASAM by clicking on the Search Icon, type ASAM on the Search Bar, and click "ASAM (C) (Client)" on the search result.

= <	SmartCa	R6SmartCa re	areTrain 08/02	2 <mark>/2022</mark> Q 🚖 1	9	-	Jones, Samantha (101) 🕥 🕂 :
	đ		∷≡	Q asam				
	-	rd		S ASAM(C) (C	lient)		Д	
		iu ii		Summary		6		

If this is the first ASAM for this client, you will be taken directly to a new ASAM document. If the client has an existing and completed ASAM document, you will see the PDF version of that ASAM:

Click on the loc create a new version of the ASAM.

2.0 ASAM Completion

Initial tab

The Initial tab contains 2 drop-downs that are both required.

The first field is where the author can indicate the county for which the data is being reported to. If your organization is configured to only report to one county, this will be pre-populated. See Configuration Key section under set up to understand how this is configured.

The second drop-down indicate the Type of Assessment (i.e. Brief initial screen, Initial Assessment, or Follow Up Assessment).



CA ASAM

Effective 10/20/2022	tin Status New Status New	Aut	thor Admin, System	~	00
Initial Dimension 1	Dimension 2 Dimension	3 Dimension 4 Dimension 5	Dimension 6 Final Det	ermination	
Initial					
County		Butte	~		
Type Of Assessment		Initial Ass	essmei 💙		

Dimension 1: Acute Alcohol Intoxication and/or Withdrawal Potential

The first tab of the ASAM is Acute Alcohol Intoxication and/or Withdrawal Potential. The first section of this tab is based on the "County" field value selected in the "Initial" tab. The corresponding DFA that was built as specific to that county will be displayed in this section. See DFA section below for more information about configuration. If nothing exists, then no other fields are required for the county you are reporting to on this form.

In the second section, *it is required for the user to select an option* regarding the client's alcohol intoxication and/or withdrawal potential. If the client has a previous ASAM, the value will initialize.

A ASAM					i i i	Goto 💄 🖬 Save 🗈 🖨 🛅 🗙
Effective 10/20/2022	Status New		Author Admin, System	~	00	Sign 💿 🧲 🕇
Initial Dimension 1	Dimension 2 Dimension 3	Dimension 4 Dimen	ision 5 Dimension 6 Final	Determination		
Dimension 1: Acute	e Intoxication and/or Withdra	wal Potential				^
🔿 No withdrawal risk (L	evel 0.5)					
O Physiologically deper	ndent on opiates and requires Opioid	Maintenance Therapy to p	revent withdrawal (OTP Level 1)			
O Withdrawal, if presen	t, is manageable at Level 1-WM (Leve	11)				
O Withdrawal, if presen	t, is manageable at Level 2-WM (Leve	2.1)				
O Withdrawal, if presen	t, is manageable at Level 2-WM (Leve	1 2.5)				
O Withdrawal, if presen	t, is currently receiving Level 1-WM o	3.2-WM services (Level 3	3.1)			
O Withdrawal, if presen	t, is manageable at Level 3.2-WM (Le	/el 3.3)				
O Withdrawal, if presen	t, is manageable at Level 3.2-WM (Le	/el 3.5)				
O Withdrawal is manag	eable at Level 3.7-WM (Level 3.7)					

In the General section, all fields are required. Level initializes based on selection above.

Streamline Healthcare Solutions			
		-	
LevelComments	~	Documented Risk	~

Dimension 2: Biomedical Conditions and Complications

The second tab of the ASAM is Biomedical Conditions and Complications. The first section of this tab is based on the "County" field value selected in the "Initial" tab. The corresponding DFA that was built as specific to that county will be displayed in this section. See DFA section below for more information about configuration. If nothing exists, then no other fields are required for the county you are reporting to on this form.

In the second section, *it is required for the user to select an option* regarding the client's biomedical conditions and complications. If the client has a previous ASAM, the value will initialize.

In the General section, *all fields are required*. Level initializes based on selection above.

	-0
A ASAM	🖹 🚦 🔽 GOTO 🚢 🖬 Save 🗋 🖶 🛅
Effective 10/20/2022 📾 Status New Author Admin, System 🗸 🖸 🔾	Sign 🧿 📢 🕇
Initial Dimension 1 Dimension 2 Dimension 3 Dimension 4 Dimension 5 Dimension 6 Final Determination	
Dimension 2: Biomedical Conditions and Complications	
○ None or very stable (Level 0.5)	
○ None or manageable with outpatient medical monitoring (OTP Level 1)	
○ None or very stable, or the patient receiving concurrent medical monitoring (Level 1)	
○ None or not a distraction from treatment. Such problems are manageable at Level 2.1 (Level 2.1)	
○ None or not sufficient to distract from treatment. Such problems are manageable at Level 2.5 (Level 2.5)	
○ None or stable, or the patient is receiving concurrent medical monitoring (Level 3.1)	
○ None or stable, or receiving concurrent medical treatment (Level 3.3)	
None or stable, or receiving concurrent medical monitoring (level 3.5)	
None or stable, or receiving concurrent medical monitoring (Level 3.7)	
Requires 24-hour medical and nursing care in a hospital (Level 4)	
General	
Level V Documented Kisk	
Comments	



Dimension 3: Emotional, Behavioral or Cognitive conditions and Complications

The third tab of the ASAM is Emotional, Behavioral or Cognitive Conditions and Complications. The first section of this tab is based on the "County" field value selected in the "Initial" tab. The corresponding DFA that was built as specific to that county will be displayed in this section. See DFA section below for more information about configuration. If nothing exists, then no other fields are required for the county you are reporting to on this form.

In the second section, *it is required for the user to select an option* regarding the client's biomedical conditions and complications. If the client has a previous ASAM, the value will initialize.

In the General section, *all fields are required*. Level initializes based on selection above.

A ASAM	🗳 🤅 🖉 Goto 💄 🖬 Save 🗈 🚍 🏛			
Effective 10/20/2022 🚔 Status New Author Admin, System 🗸	00	Sign 💿 🗲 🕇		
Initial Dimension 1 Dimension 2 Dimension 3 Dimension 4 Dimension 5 Dimension 6 Final Determination				
Dimension 3: Emotional, Behavioral or Cognitive Conditions and Complications	A			
None or very stable (Level 0.5) None or manageable in an outpatient structured environment (OPT Level 1) None or very stable, or the patient is receiving concurrent mental health monitoring (Level 1) Mild severity, with the potential to distract from recovery; needs monitoring (Level 2.1) Mild to moderate severity, with potential to distract from recovery; needs stabilization (Level 2.5) None or minimal; not distracting from recovery (Level 3.3) Mild to moderate severity; needs structure to focus on recovery (Level 3.3) Inability to control impulses or unstable and dangerous signs/symptoms require stabilization and a 24-hour setting (Level 3.5) Moderate severity; needs a 24-hour structured setting (Level 3.7) Requires 24-hours psychiatric care and concomitant addiction treatment (Level 4)				
General				
Level V Documented Risk V				
Comments				
	•			

Dimension 4: Readiness to Change

The fourth tab of the ASAM is Readiness to Change. The first section of this tab is based on the "County" field value selected in the "Initial" tab. The corresponding DFA that was built as specific to that county will be displayed in this section. See DFA section below for more information about configuration. If nothing exists, then no other fields are required for the county you are reporting to on this form.



In the second section, *it is required for the user to select an option* regarding the client's biomedical conditions and complications. If the client has a previous ASAM, the value will initialize.

In the General section, all fields are required. Level initializes based on selection above.

CA ASAM	🖹 🕻 😨 GOTO 🚢 🖬 Save 🗋 🖶 🏛 🗙
Effective 10/20/2022 📾 Status New Author Admin, System V	Sign 💿 < 🕇
Initial Dimension 1 Dimension 2 Dimension 3 Dimension 5 Dimension 6 Final Determination	
Dimension 4: Readiness to Change	
 Willing to explore how current alcohol, tobacco, other drug or medication and/or high risk behaviors may affect personal goals (Level 0.5) Ready to change the negative effects of opioid use, but not ready for total abstinence from illuicit prescription or non-prescription drug use (OTP Level 1) Ready to change the negative effects of opioid use, but not ready for total abstinence from illuicit prescription drug use (OTP Level 1) Ready for recovery but needs motivation and monitoring strategies to strengthen readiness; or needs ongoing monitoring and disease management; or high severity in this dimension but no in other dimensions (Level 1) Has variable engagement in treatment, methodslands or lack of awareness of the substance use or mental health problem, and requires a structured program several times a week (Level 2.1) Has spoor engagement in treatment, significant ambivalence, or a lack of awareness of the substance use or mental health problem, requiring a near-daily structured program reversition envices (level 2.5) 	
Open to recovery, but needs a structured environment to maintain therapeutic gains (Level 3.1)	
Has little awareness and needs interventions available only in Level 3.3 to stay in treatment (Level 3.3)	
As marked difficulty with, or opposition to, treatment, with dangerous consequences (Level 3.5)	
U ow interest in treatment and impulse control is poor, despite negative consequences; needs motivating strategies available in a 24 hour structured section (Level 3.7)	
Requires 24-hours psychiatric care and concomitant addiction treatment (Level 4)	
General	
Level Documented Risk Comments	
	×

Dimension 5: Relapse, Continued Use, Continued Problem Potential

The fifth tab of the ASAM is Relapse, Continued Use, Continued Problem Potential. The first section of this tab is based on the "County" field value selected in the "Initial" tab. The corresponding DFA that was built as specific to that county will be displayed in this section. See DFA section below for more information about configuration. If nothing exists, then no other fields are required for the county you are reporting to on this form.

In the second section, *it is required for the user to select an option* regarding the client's biomedical conditions and complications. If the client has a previous ASAM, the value will initialize.

In the General section, all fields are required. Level initializes based on selection above.



CA ASAM		🗳 🗄 🖉 GOTO 🚢 🖬 Save 🗋 🖶 🍈 🗙
Effective 1020/2022 Effective 1020/2022 New Author Admin, System	~ C C	Sign 💿 🗲 🕇
Initial Dimension 1 Dimension 2 Dimension 3 Dimension 4 Dimension 5 Dimension 6 Final Determination		
Dimension 5: Relapse, Continued Use, Continued Problem Potential		
Needs an understanding of, or skills to change, current alcohol, tobacco, other drug, or medication use patterns, and/or high risk behavior (Lev	vel 0.5)	
At high risk of relapse or continued use without OTP and structured therapy (OPT Level 1)	1)	
Active to maintain addition or control dee and/or addictive behaviors and pursue recovery or motivational goals with minimal support (cever).	L) close monitoring	
and support several times a week (Level 2.1)		
Intensification of addiction or mental health symptoms, despite active participation in level 1 or level 2.1 program, indicates a high likelihood or continued are participation in level 1 or level 2.5.	of relapse	
Understands relapse but needs structure to maintain therapeutic gains (Level 3.1)		
O Has little awareness and needs interventions available only at Level 3.3 to prevent continued use, with imminent dangerous consequences, be comparable dysfunction (Level 3.3)	ecause of cognitive deficits or	
Has no recognition of the skills needed to prevent continued use, with imminently dangerous consequences (Level 3.5)		
Ounable to control use, with imminent dangerous consequences despite active participation at less intensive levels of care (Level 3.7)		
O Problems in this dimension do not qualify the person for Level 4 services (Level 4)		
General		
Level V Documented Risk	~	
Comments		

Dimension 6: Recovery Environment

The sixth tab of the ASAM is Recovery/Living Environment. The first section of this tab is based on the "County" field value selected in the "Initial" tab. The corresponding DFA that was built as specific to that county will be displayed in this section. See DFA section below for more information about configuration. If nothing exists, then no other fields are required for the county you are reporting to on this form.

In the second section, *it is required for the user to select an option* regarding the client's biomedical conditions and complications. If the client has a previous ASAM, the value will initialize.

In the General section, all fields are required. Level initializes based on selection above.

Streamline Healthcare Solutions

ASAM				Ĕ : D	Goto 💄 🕞 Save 🗋 🖶 🛅
Effective 10/20/2022	Status New	Author Admin, Syst	em 🗸	00	Sign 🔘 < -
Initial Dimension 1 Dime	ension 2 Dimension 3 Dime	nsion 4 Dimension 5 Dimension 6	Final Determination		
Dimension 6: Recovery/Li	ving Environment				A
Social support system or signi	ficant others increase the risk of per	sonal conflict about alcohol, tobacco or other	drug use (Level 0.5)		
Recovery environment is supp	ortive and/or the person has skills t	cope (OPT Level 1)			
Recovery environment is supp	ortive and/or the person has skills t	cope (Level 1)			
Recovery environment is not s	upportive, but with structure and su	pport, the person can cope (Level 2.1)			
Recovery environment is not s	upportive, but with structure and su	pport and relief from the home environment, t	he person can cope (Level 2.5)		
Environment is dangerous, bu	t recovery is achievable if level 3.1 /	24 hour structure is available (Level 3.1)			
O Environment is dangerous and	I person needs 24-hour structure to	learn to cope (Level 3.3)			
O Environment is dangerous and	I the person lacks skills to cope outs	ide of highly structured 24 hour setting (Level	3.5)		
O Environment is dangerous and	I the person lacks skills to cope outs	ide of a highly structured 24-hour setting (Lev	el 3.7)		
Problems in this dimension do	not qualify the person for Level 4 s	ervices (Level 4)			
General					
Level	~	Docum	ented Risk	~	
Comments					

Final Determination

The last tab of the ASAM is the Final Determination tab. In the Final Determination section, it will initialize each of the six dimension scores and risk selected, as well as the Comments for each dimension. These are read only and can only be changed on the respective tab.



C A	٨C	Δ.	м
CA	AD	A	111

🕒 🗄 😰 GOTO 🚨 🖬 Save 🗋 🖨 🏛 🗙

inective 10/20/2022	Status New	Autnor Admin, Syst		00	sign 🕑 💊
Initial Dimension 1 Di	mension 2 Dimension 3 Dimens	ion 4 Dimension 5 Dimension 6	Final Determination		
inal Determination					A
Dimension 1	Risk:	Dimension	n 2 Risk:		
Dimension 3	Risk:	Dimension	n 4 Risk:		
Dimension 5	Risk:	Dimension	16 Risk:		
Final Placement Determination	on				
Provided Level	*				
Comments	•				

The Final Placement Determination section allows for the end user to note both the Indicated/Referred Level and the actual Provided Level. *Both of these fields are required*.

A Comments textbox is provided to note additional information regarding the final determination and a summary of the ASAM.

In addition, another text box is provided to indicate the Determination of Medical Necessity and Recommendation for Services. *This field is required.*

Final Placement Determination					
Indicated/Referred Level	*				
Provided Level	~				
Comments					
5					
Determination of Medical Necessity and Recommendation for Services					



The last section on the Final Determination tab, contain the corresponding county specific DFA as well as drop-downs to indicate additional level of care. *All of the fields displayed below are required.*

nal Placement Determination			
dditional Indicated Level of Care	Secon	d Additional Indicated Level of Care	~
Provided Additional Level of Care	~		
f Actual LOC was not among those indicated, what is the reason for the difference?	If reference expension of the former of the	erral is being made but admission is ted to be delayed, what is the reason alay?	<u> </u>
If reason was "Other", explain:	If re	ason was "Other", explain:	

3.0 Signing the ASAM

When all information that can be gathered has been entered into the ASAM, a few final steps are needed to complete the document.

Once all information is entered, you have two options: sign or save. If there is any reason not to complete and sign the document, it can be saved and returned to at a later time by clicking the save button in the toolbar.



When you are ready to sign, click the sign button. This will automatically "validate" the document to verify that all required fields has been completed. If there are missing required fields, you will receive the following validation window:



Dimension 2 - General – Documented Risk must be specified Dimension 3 - General – Comments must be specified	
Dimension 3 - General – Comments must be specified) imension 2 - General – Documented Risk must be specified
	imension 3 - General – Comments must be specified

The first portion of the statement (e.g. Dimension 2) will tell you on which tab the missing required field is located. The second part of the message (e.g. General) will tell you which section to go to. The third part of the message (e.g. is Documented Risk must be specified) will tell you the specific field that you need to address.

Once all requirements has been completed, click the sign button again (if validations occurred). You will then be presented with the signature screen.

aturePage				
	c	Santiago. Maricris is signing the AS	AM(C)	
	Santiago. Maricris	08/08/2022	12:06 PM	
• Password	O Signature Pad	O Mouse/Touchpad	O Verbally Agreed Over Phone	
Sign	Clear Can	cel	€r	



Enter your password and click

. Your ASAM is now complete.

Set Up Considerations

Dynamic Form Architecture (DFA)

The CA ASAM was developed to allow configurable DFA tabs and sections to allow for the collections of customer specific business needs or county specific data collection requirements. These DFA tabs sections are driven based on the selection of the County of Submission field in the Initial tab. Once the county is selected and the user clicks Save, the DFA sections and/or tabs will load. At this time, the loading and mapping of these DFA's requires Streamline development.

DFA Section Location

The CA ASAM DFA sections are located within each tab with the exception of General. When loaded these will display as the first section in the Dimension tabs and the last section in the Final Determination tab.

Architecture

Table Name: DocumentCAStateReportingCountyDFAMappings

This table is used to show the County specific DFA tab in the respective Documents

In the table, every row should have unique records (The combination of Managing Entity +Document

Code + DFA Form Id+ Section Name).

The table is pre-loaded by the SA/Developer based on the BA's or customer instruction on which DFA

Section we need to show for which county in the Documents



Example:

ManagingEntitiy	DocumentName	Form ID	FormName
Alameda	CA ASAM	3002	Dimension 1
Alameda	CA ASAM	3003	Dimension 2
Alameda	CA ASAM	3004	Final Determination
Alpine	CA ASAM	3005	Dimension 1
Alpine	CA ASAM	3006	Dimension 1

Configuration Keys

Field Name	Configuration Key Category Name
Partner County	XSetCountyCodeForCaliforniaStateReporting

If your organization only provides services to clients within ONE county, then you should enter the County Code as defined by your state here. If nothing is entered, then on the form, user will be required to select the County every time. If something is entered here, then user will not see the field and it will prepopulate in the table for this document to be sent for reporting to the accurate county.



If your organization provides services to clients in more than one county and you report to each of those counties, then you should indicate 'None' in this key or leave it blank and users will be required to select the county each time they do the document.

The field this impacts is the 'Partner County' field below that is located on the Partner/Residential/Education tab in the Initial section.

CA ASAM				🗳 : 🖻	Goto 🚨 🖬 Save 🗋 🖶 🛅 🗙
Effective 10/20/2022	Status New	Author Admin, System	~	00	Sign 💿 < 🕇
Initial					
Initial					
County		~			
Type Of Assessment		~			

If there are counties you do not provide services to, you can go to the DACSManagingEntity Global Code category in the Global Codes screen and deactivate any counties you do not want staff to see in the drop down. You should only do this for counties that NONE of your programs are serving. You should keep all counties that at least one program serves as active.